SPRINKLER SYSTEM

METAL 9-PATTERN TURRET SPRINKLER.....P25

GEAR+

EFFORTLESS PATTERN SWITCH

Coverage Area Up To 5284 491m²

pull out the tab for close range aspray

6 Patterns for all watering needs



FAN JET FLAT LARGE FULL MINI

14665

6-Pattern Gear Drive Sprinkler

- Quiet operation
- Full or part-circle coverage
- 6 patterns for all watering needs
- Watering dia.: 41ft (12.5m); coverage: 5284 sq.ft (491 sq.m)
- Water patterns : large , flat , fan , jet , full and mini

11339

6-Pattern Gear Drive Sprinkler

- Quiet operation
- Full or part-circle coverage
- 6 patterns for all watering needs
- Watering dia.: 41ft (12.5m); coverage: 5284 sq.ft (491 sq.m)
- Water patterns : large , flat , fan , jet , full and mini
- Metal step spike allows unit-to-unit connections

11239

6-Pattern Gear Drive Sprinkler

- Quiet operation
- Full or part-circle coverage
- 6 patterns for all watering needs
- Watering dia.: 41ft (12.5m); coverage: 5284 sq.ft (491 sq.m)
- Water patterns : large , flat , fan , jet , full and mini
- Metal step spike allows unit-to-unit connections

12839

6-Pattern Gear Drive Sprinkler

- Quiet operation
- Full or part-circle coverage
- 6 patterns for all watering needs
- Watering dia.: 41ft (12.5m); coverage: 5284 sq.ft (491 sq.m)
- Water patterns : large , flat , fan , jet , full and mini
- Two-way spikeallows unit-to-unit connection

12236

4-Pattern
Gear Drive Sprinkler

- Quiet operation
- Full or part-circle coverage
- 4 patterns for all watering needs
- Watering dia.: 39.4ft (12m); coverage: 4869 sq.ft (452 sq.m)
- Water patterns : large , flat , full and mini
- Step spike allows unit-to-unit connections

12836

4-Pattern
Gear Drive Sprinkler

- Quiet operation
- Full or part-circle coverage
- 4 patterns for all watering needs
- Watering dia.: 39.4ft (12m); coverage: 4869 sq.ft (452 sq.m)
- Water patterns : large , flat , full and mini
- Two-way spikeallows unit-to-unit connection

11236

4-Pattern
Gear Drive Sprinkler

- Quiet operation
- Full or part-circle coverage
- 4 patterns for all watering needs
- Watering dia.: 39.4ft (12m); coverage: 4869 sq.ft (452 sq.m)
- Water patterns : large , flat , full and mini
- Metal step spike allows unit-to-unit connections

Coverage Area Up To
3420
316m²

Model 14683

GEAR DRIVE CONTOUR SPRINKLER

- Flow changes automatically for different distance and even coverage
- Easy-Set adjustable ring to fit irregular coverage
- Sliding tab for coverage control
- Allows connection in series
- Min. radius 13ft (4m); max. radius 33ft (10m)
- Coverage up to 3420 sq.ft. (316 sq.m.)





Model 14684

IMPULSE CONTOUR SPRINKLER

- Flow changes automatically for different distance and even coverage
- Easy-Set adjustable ring to fit irregular coverage
- Full or part circle spray pattern
- Allows connection in series

Model 14661

16 NOZZLES MINI OSCILLATOR

- 16 Spray nozzles
- Adjustable coverage width and length
- Sturdy plastic base
- Coverage up to 4069 sq.ft. (378 sq.m.)

Range Control

Water Flow Control

Square Adjustment



Range Control

11328

16 Nozzles
Mini Oscillator

- 16 Spray nozzles
- Adjustable coverage width and length
- Metal step spike allows unit-to-unit connections
- Coverage up to 4069 sq. ft. (378 sq. m.)

14701

20 Nozzles
Turbo Mini Oscillator with Timer

- 20 spray nozzles
- Adjustable coverage width and length
- Sturdy plastic base
- Coverage up to 4521 sq. ft. (420 sq. m.)

TURBO GEAR DRIVE SPRINKLER

Circular Coverage

Flow Control

Range Control

Turn To Select Spray Pattern

Model 15071

2-PATTERN GEAR DRIVE SPRINKLER

- Watering dia. 62ft (19m); coverage: 3020 sq.ft. (284 sq.m.)
- Quiet operation
- Full or part-circle coverage
- Allows connection in series

TURRET SPRINKLER

8-PATTERN

Square	Soft Square	Circle	Ring	Rectangle	Wide Strip	Narrow Strip	Semi-Circle
951 sq.ft. (88 m²)	851 sq.ft. (84 m²)	951 sq.ft. (88 m²)	1022 sq.ft. (95 m²)	646 sq.ft. (60 m²)	377 sq.ft. (35 m²)	484 sq.ft. (45 m²)	876 sq.ft. (81 m²)

9-PATTERN

Rotor
596 sq.ft. (55 m²)

Metal 9-Pattern Turret Sprinkler

- Deal for watering irregular-shaped landscape
- Patented pop-up rotor for uniform watering
  - when function on, the rotor pops up to provide uniform spraying
  - when funcion off, the rotor retracts to protect housing

15095

15093

15092

9-Pattern Turret Sprinkler

- Stable high impact plastic base with two spikes
- Ideal for watering irregular-shaped landscape
- Patented pop-up rotor for uniform watering
  - when function on, the rotor pops up to provide uniform spraying
  - when funcion off, the rotor retracts to protect housing



15094

12210

Plastic 5-Pattern Turret Sprinkler

- plastic spike allows unit-to-unit connections
- dial selects any of 5 water patterns

15081

8-Pattern Turret Sprinkler

- Stable high impact plastic base
- Dial selects any of 8 water patterns

15085

8-Pattern Turret Sprinkler

- Stable high impact plastic base
- Dial selects any of 8 water patterns

15091

9-Pattern Turret Sprinkler

- Stable high impact plastic base
- Ideal for watering irregular-shaped landscape
- Patented pop-up rotor for uniform watering
  - when function on, the rotor pops up to provide uniform spraying
  - when funcion off, the rotor retracts to protect housing

GEAR DRIVE SPRINKLER

Coverage Area Up To 3740 350m²


Arc Adjustment

Range Adjustment
15~360˚

14625

Timer Build-In
4-Pattern Gear Drive Sprinkler

- Up to 2 hours of timed watering
- Quiet operation
- Rotatable head for spray distance control
- Tab switch for part-circle or 360° spraying
- Full or part-circle coverage
- 4 Patterns for all watering needs
- Watering dia.: 69ft (21m) ; coverage: 3740 sq.ft (350 sq.m)

13607

4-Pattern
Gear Drive Sprinkler

- Quiet operation
- Rotatable head for spray distance control
- Full or part-circle coverage
- Tab switch for part-circle or 360° spraying
- 4 Patterns for all watering needs
- Watering dia.: 69ft (21m); coverage: 3740 sq.ft (350 sq.m)
- Streamlined metal base allows connections in series

14608

4-Pattern
Gear Drive Sprinkler

- Quiet operation
- Rotatable head for spray distance control
- Full or part-circle coverage
- 4 Patterns for all watering needs
- Watering dia.: 69ft (21m); coverage: 3740 sq.ft (350 sq.m)
- Durable base allows connections in series

11224

4-Pattern
Gear Drive Sprinkler

- Quiet operation
- Rotatable head for spray distance control
- Full or part-circle coverage
- 4 Patterns for all watering needs
- Watering dia.: 69ft (21m); coverage: 3740 sq.ft (350 sq.m)
- Metal two-way spike allows unit-to-unit connection

Model 11219

2-STAGE GEAR DRIVE SPRINKLER

- Quiet operation
- Water in two stages (jet and cone) for even coverage
- Sliding deflector for fine and close range spraying
- Full or part-circle coverage
- Watering dia.: 66ft (20m); coverage: 3430 sq.ft (320 sq.m)
- Metal two-way spike allows unit-to-unit connection

Coverage Area Up To
3430
320m²

Pull Out The Tab For Close Range Aspray

JET

SPLATTER

MIST

12219

2-Stage Gear Drive Sprinkler

- Quiet operation
- Water in two stages (jet and cone) for even coverage
- Sliding deflector for fine and close range spraying
- Full or part-circle coverage
- Watering dia.: 66ft (20m); coverage: 3430 sq.ft (320 sq.m)
- Metal two-way spike allows unit-to-unit connection

14644

2-Stage Gear Drive Sprinkler

- Quiet operation
- Water in two stages (jet and cone) for even coverage
- Sliding deflector for fine and close range spraying
- Full or part-circle coverage
- Watering dia.: 66ft (20m); coverage: 3430 sq.ft (320 sq.m)
- Durable base allows connections in series

EXTENSIBLE SPRINKLER

MIST

JET

FOUNTAIN

MULTI

JET

SPLATTER


MIST

11542

4-Pattern Gear Drive Sprinkler with Extensible Tripod

- Quiet operation
- Rotatable head for spray distance control
- Full or part-circle coverage
- Tab switch for part-circle or 360° spraying
- 4 Patterns for all watering needs
- Watering dia. : 69ft (21m) ; coverage : 3740 sq.ft (350 sq.m)
- Tripod lifts up to 39" (1m)
- Leg spikes dig into soil for more stability
- Ideal for watering from bushes

11523

4-Pattern Gear Drive Sprinkler with Extensible Tripod

- Quiet operation
- Rotatable head for spray distance control
- Full or part-circle coverage
- Tab switch for part-circle or 360° spraying
- 4 Patterns for all watering needs
- Watering dia. : 69ft (21m) ; coverage : 3740 sq.ft (350 sq.m)
- Tripod lifts up to 39" (1m)
- Leg spikes dig into soil for more stability
- Ideal for watering from bushes

11519

2-Stage Gear Drive Sprinkler with Extensible Tripod

- Quiet operation
- Water in two stages (jet and cone) for even coverage
- Sliding deflector for fine and close range spraying
- Full or part-circle coverage
- Watering dia.: 66ft (20m); coverage: 3430 sq.ft (320 sq.m)
- Tripod lifts up to 39"
- Leg spikes dig into soil for more stability
- Ideal for watering from bushes

11343

Impulse Sprinkler with Extensible Tripod

- Full or part circle spray pattern
- Tripod lifts up to 39"
- Leg spikes dig into soil for more stability
- Ideal for watering from bushes



11572

Impulse Sprinkler (Zinc) with Extensible Tripod

- Full or part circle spray pattern
- Tripod lifts up to 72"
- Leg spikes dig into soil for more stability
- Ideal for watering from bushes



11515

Impulse Sprinkler (Brass) with Extensible Tripod

- Full or part circle spray pattern
- Tripod lifts up to 39"
- Leg spikes dig into soil for more stability
- Ideal for watering from bushes



11511

Impulse Sprinkler (Zinc) with Extensible Tripod

- Full or part circle spray pattern
- Tripod lifts up to 39"
- Leg spikes dig into soil for more stability
- Ideal for watering from bushes



ROTATING SPRINKLER

14139

3-Arm Rotating Sprinkler

- Adjustable arm angles for coverage control
- Whirling action for uniform coverage
- Watering dia.: 34ft (10.4m); coverage: 910 sq.ft (85 sq.m)
- With 6" plastic base



14126

2-Arm Rotating Sprinkler

- Whirling action for uniform coverage
- Watering dia.: 35ft (10.7 m); coverage: 970 sq.ft (90 sq.m)
- With 6" plastic base

12126

2-Arm Rotating Sprinkler

- Whirling action for uniform coverage
- Watering dia.: 35ft (10.7 m); coverage: 970 sq.ft (90 sq.m)
- Durable one-way plastic spike



14237

3-Arm Rotating Sprinkler

- Adjustable arm angles for coverage control
- Whirling action for uniform coverage
- Watering dia.: 34ft (10.4 m); coverage:910 sq.ft (85 sq.m)
- With 8" plastic base

13331

Metal 3-Arm Rotating Sprinkler

- 3 Metal arms provide gentle watering For lawn & garden
- Watering dia.: 42 ft (12.8 m); Coverage: 1390 sq.ft (129 sq.m)
- 8" Wheeled base

STATIONARY SPRINKLER

12203

Daisy Sprinkler

- Circular water pattern
- Plastic spike allows unit-to-unit connections

15084

Mist Sprinkler

- Fine mist pattern



15082

Ring Sprinkler

- Impact plastic construction



PULSATING SPRINKLER

ADJUSTABLE DIFFUSER SCREW
Turn screw to adjust spray from powerful jet to mist

ADJUSTABLE DEFLECTOR
Turn deflector to control spray distance

ADJUST DIFFUSER
screw for spray distance control

ADJUSTABLE DEFLECTOR
Adjust deflector for stream trajectory control



TRIP LEVER
Flip lever up for full circle

ADJUSTABLE COLLARS
Set the collars for desired part circle coverage

12216
Plastic Impulse Sprinkler

- Full or part circle spray pattern
- Metal spike allows unit-to-unit connections

11216
Plastic Impulse Sprinkler

- Full or part circle spray pattern
- Allows unit-to-unit connections

11227
Plastic Impulse Sprinkler

- Full or part circle spray pattern
- Metal spike allows unit-to-unit connections

11211
Zinc Impulse Sprinkler

- Full or part circle spray pattern
- Metal spike allows unit-to-unit connections

11311
Zinc Impulse Sprinkler

- Full or part circle spray pattern
- Heavy duty stepped metal spike
- Allows unit-to-unit connections

IMPULSE SPRINKLER

Circular Coverage

13311-01

8" Zinc Impulse Sprinkler

- Full or part circle spray pattern
- Durable one-way plastic spike
- 8" wheeled base

13411-11

10" Zinc Impulse Sprinkler

- Full or part circle spray pattern
- Durable one-way plastic spike
- 10" wheeled base

13511-01

12" Zinc Impulse Sprinkler

- Full or part circle spray pattern
- Durable one-way plastic spike
- 12" wheeled base