

GARDEN SPRINKLER

TURBO DRIVE GEAR SERVES FOR QUIET OPERATION Special designed water patterns create optimal water distribution to ensure well absorption of soil.







pull out the tab for close range spray




Pattern Change 6 Watering Mode Change : Large , Flat , Fan , Jet , Full and Mini


Coverage Control Sliding tabs allow for coverage adjustment (5-360°)



GEAR⁺

Effortless Pattern Switch











Fan


6-Pattern Gear Drive Sprinkler

- Quiet operation
- Full or part-circle coverage
- 6 patterns for all watering needs
 Water patterns : large , flat , fan , jet , full and mini
 Sturdy plastic base (14665)
- Metal two-way spike allows unit-to-unit connection (11349, 11339, 11239)
- Plastic spike allows unit-tounit connections (12839)
- Watering dia. : 82ft (25m) / r : 41ft (12.5m) ; coverage: 5278 sq.ft (490 sq.m)















Pattern Change 4 Watering Mode Change : Large , Flat , Fan and Mini




Coverage Control Sliding tabs allow for coverage adjustment (5-360°)

4-Pattern Gear Drive Sprinkler

- Quiet operation


- Full or part-circle coverage
 4 patterns for all watering needs
 Water patterns : large , flat , full and mini
 Metal two-way spike allows
- unit-to-unit connection (11236, 11357)
- Plastic spike allows unit-to-unit connections (*12236*, *12836*)
 Watering dia.: 68ft (20m) / r: 34ft (10m); coverage: 3632 sq.ft (314 sq.m)








Coverage Control Sliding tabs allow for coverage adjustment (20-360°)





12 Point Adjuatable Spray Range

Flow changes automatically for different distance with even coverage Min. radius 13ft (4m); max. radius 33ft (10m)





14684





Gear Drive Contour Sprinkler

- Flow changes automatically for different distance and even coverage
- Easy-Set adjustable ring to fit irregular coverage
- Sliding tab for coverage control
- Allows connection in series
- Min. radius 13ft (4m); max. radius 33ft (10m)
- Coverage up to 3380 sq.ft. (314 sq.m.)

Impulse Contour Sprinkler

- Flow changes automatically for different distance and even coverage
- Easy-Set adjustable ring to fit irregular coverage
- Full or part circle spray pattern
- Allows connection in series
- Coverage up to 4869 sq.ft. (452 sq.m.)

MINI OSCILLATOR

Square adjustments to fit desired square coverage





Range Control (Width) Sliding tabs allow for coverage. (max. up to 59ft (18m))



Range Control (Length) Push down tab allows for length coverage. (max. up to 68.89ft (21m))



Water Flow Control Allows you to control water usage



Radius Adjustment







METAL

16 Nozzles Mini Oscillator

- 16 Spray nozzles
- Adjustable coverage width and length
- Metal step spike allows unit-to-unit connections (11328, 11353)
 Sturdy plastic base (14661)
- Coverage up to 4065 sq. ft. (378 sq. m.)



14701 (20 nozzle)

20 Nozzles Mini Oscillator with Mechanical Timer

- 20 spray nozzles
- Adjustable coverage width and length
- Sturdy plastic baseUp to 2 hours of timed watering
- Coverage up to 4250 sq. ft. (394 sq. m.)



Flow Control Allows you to control water usage



Pattern Change Full jet stream of water to a gentle fountain watering pattern



Coverage Control Sliding tabs allow for coverage adjustment (5-360°)



Removable Filter Plug Blocks sediment and dirt. Easy-to-clean

TURBO GEAR

Circular Coverage





2-Pattern Gear Drive Sprinkler

- Convenient adjustable watering patterns
- (full or partial-circle range coverage)
- Full jet stream of water to a gentle fountain watering pattern
- Flow control switch allows you to control water usage
 Sleek low design combined with the H pattern base provides stable
- Sleek low design combined with the H pattern base provides stable and durable platform to water your lawns
- Can be moved to any location
- Easy hose connection with built-in water filter plug
- Whisper Quiet operation
- Coverage: 3020 sq.ft. (284 sq.m.)

3020sq.ft | 284sq.m

8-PATTERN 9-PATTERN



• Dial selects any of 8 water patterns

- plastic spike allows unit-to-unit connections
- dial selects any of 5 water patterns

PATENTED POP-UP ROTOR

When watering, the central rotor pops up to provide fine, even watering When off, the rotor retracts to prevent injury from tripping over



Metal 9-Pattern Turret Sprinkler

• Ideal for watering irregular-shaped landscape

- Patented pop-up rotor for uniform watering
- when function on, the rotor pops up to provide uniform spraying
- when function off, the rotor retracts to protect housing




9-Pattern Turret Sprinkler


- Stable high impact plastic base
- Ideal for watering irregular-shaped landscape
- Patented pop-up rotor for uniform watering
- when function on, the rotor pops up to provide uniform spraying when function off, the rotor retracts to protect housing
- Anchor pins provide stability in windy or on slopes (15094)



Arc Adjustment Watering Distance Adjustable



Coverage Control Sliding tabs allow for coverage adjustment (5-360°)



Watering Coverage Lock Tab switch for semi-circle or 360° spraying



Pattern Change 4 Watering Mode Change : Multi, Mist, Jet and Fountain

4-Pattern Gear Drive Sprinkler

- Quiet operation
- Rotatable head for spray distance control
- Full or part-circle coverage
- 4 Patterns for all watering needs
- Sturdy plastic base w/ mechanical water timer (14625)
- Streamlined metal base allows connections in series (13607)
- Tab switch for part-circle or 360° spraying (14625, 13607)
 Durable base allows connections in series (14608)
- Durable base allows connections in series (14008)
 Metal two-way spike allows unit-to-unit connection (11224)
- Watering dia.: 69ft (21m) / r : 34.5ft (10.5m) ;
- coverage up to 3725 sq.ft (346 sq.m)



QUIET OPERATION











Enjoy quiet early morning watering without disturbing neighbors or animals. No more ch-ch-ch clatter of impulse sprinklers









Pattern Change Jet distance control



Sliding tabs allow for coverage adjustment (5-360°)



Two-Stage Watering Covers both near and far areas

2-Stage Gear Drive Sprinkler

- Quiet operation
- Water in two stages (jet and cone) for even coverage
 Sliding deflector for fine and close range spraying

- Full or part-circle coverage
 Metal two-way spike allows unit-to-unit connection (11219)
- Plastic spike allows unit-tounit connections (12219)
- Sturdy plastic base (14644)
- Watering dia.: 66ft (20m) / r : 33ft (10m) ; coverage up to 3380 sq.ft (314 sq.m)







MULTI SPRAY+

All-in-One Sprinkler with All features you require for your garden watering needs



Coverage Control Set the collars for desired part circle coverage (5-360°)



Extendable Tripod Extend height up to 36 inch Ideal for spraying from bush



Distance Control Sliding tabs allow for coverage adjustment



Quadro + Mist Six specially-designed nozzles for versatile watering















6-Pattern Sprinkler Plus Misting System

- Whisper quiet operation
- Robust aluminum metal tripod construction
- Full or Part-Circle coverage (5°-360°)
 6 Spray patterns : Flat, Fan, Mist, Mini, Large and Multi
- Misting system is ideal for cooling down
- Tripod extends up to 36 inch (92 cm)
- Watering dia.: 78ft (25m) / r : 39ft (12.5m) ; coverage up to 4860 sq.ft (490 sq.m)* *with the large spray pattern at 40 psi



5-Pattern Sprinkler Plus Misting System

- Whisper quiet operation
- Robust aluminum metal tripod construction
- Full or Part-Circle coverage (5°-360°)
 5 Spray patterns : Flat, Fan, Mist, Large and Multi
- Misting system is ideal for cooling down
- Tripod extends up to 36 inch (92 cm)
- Watering dia.: 69ft (21m) / r : 34.5ft (10.5m) ; coverage up to 3737 sq.ft (346 sq.m)* *with the large spray pattern at 40 psi

EXTENDABLE SPRINKLER



Gear Drive Sprinkler w/ Extendable Tripod • Quiet operation • Sliding deflector for fine and close range spraying Full or part-circle coverage Tripod extends up to 59 inch (149 cm) (11536) Tripod extends up to 36 inch (92 cm) (11519, 11523) Leg spikes dig into soil for more stability • Ideal for watering behind bushes and taller plants 4 Patterns for all watering needs (11523, 11536) Water in two stages (jet and cone) for even coverage (11519) Watering dia.: 68ft (20m) / r: 34ft (10m); coverage: 3632 sq.ft (314 sq.m) (11536) Watering dia.: 69ft (21m) / r: 34fsft (10.5m); coverage up to 3737 sq.ft (346 sq.m) (11523) Watering dia.: 69ft (20m) / r: 34.5ft (10.5m); coverage up to 3737 sq.ft (346 sq.m) (11523) • Watering dia.: 66ft (20m) / r : 33ft (10m) ; coverage up to 3380 sq.ft (314 sq.m) (11519) 11523 11519

EXTENDABLE SPRINKLER 6300sq.ft | 590sq.m

11572 (ZINC) Inputse Sprinkler w/ Extendable Tripod Ular part-circle coverage Tipod extends up to 78 inch (182cm) (11572) Tipod extends up to 88 iform ore stability Tipod extends up to 88 iform



Flow Control Extension Adapter

• Easy switching of watering tools without traveling back to the faucet to turn off the water

• Can be used with any 1/2 inch connection system including PVC pipe connections



EXTENDABLE TRIPOD Find your perfect sprinkler heads to suit your watering needs



Extendable Tripod

- Tripod folds for simple storage
 Compatible with any ½ inch male threaded sprinkler heads
 Tripod extends up to 70 inch (179cm) (11548)
 Tripod extends up to 59 inch (149 cm) (11540)
 Leg spikes dig into soil for more stability
 Ideal for watering behind bushes and taller plants











HEAVY DUTY Heavyweight Telescoping Tripod

Quick release leg clamps for height adjustments





 Stable metal tripod base resists tipping and extends up to 162 cm (63.7 inches) to allow for adjustments as plants grow

Tripod folds for simple storage

• Compatible with any 1/2 inch male threaded sprinkler heads





2-Arm Rotating Sprinkler

- Whirling action for uniform coverage
- With 6" plastic base (14126)
- Durable one-way plastic spike (12126)
- Watering dia.: 35ft (10.7m) ; coverage up to 970 sq.ft (90 sq.m)

14638



11343

3-Arm Rotating Sprinkler

- Adjustable arm angles for coverage controlWhirling action for uniform coverage
- With 6" plastic base
- Watering dia.: 34ft (10.4m) / r : 17ft (5.2m) ; coverage up to 910 sq.ft (85 sq.m)



3-Arm Rotating Sprinkler

14237

- Adjustable arm angles for coverage control
- Whirling action for uniform coverage
- With 8" plastic base (14237)
- Watering dia.: 48ft (15m) / r : 24ft (7.5m) ; coverage up to 1808 sq.ft (176 sq.m)

Rotating Sprinkler w/ Telescopic Metal Step Spike

- Brass nozzles adjust from fine mist to jet
- Step spike extends up to 21"~31"
- Specially designed for yard & garden
 Watering dia.: 42 ft (12.8m) / r : 21ft (6.4m) ; coverage up to 1390 sq.ft (129 sq.m)

STATIONARY SPRINKLER



12203



Daisy Sprinkler Circular water patternPlastic spike allows unit-to-unit connections 15084



Mist Sprinkler

- Fine mist patternABS stable platform

15082



Ring Sprinkler

- Impact plastic constructionABS stable platform

NOTE




PULSATING & IMPULSE SPRINKLER






Adjustable Collars Set the collars for desired part circle coverage (5-360°)




Adjustable From Full To Part Circle Flip lever up for full circle (0-360°)




Adjustable Deflector Adjust diffuser screw for spray distance control 14.7 ft.-45 ft. (4.5 m-14 m)





Adjustable Diffuser Screw Turn screw to adjust spray from powerful jet to mist





Impulse Sprinkler

- Full or part circle spray pattern
- Metal spike allows unit-to-unit connections (*11216*, *11227*, *11211*, *11311*, *11316*)
 Heavy duty stepped metal spike (*11311*)





Sprinkler with Wheeled Base

- Wheeled base provides stability and easy to move around your yard
 Metal construction with anti-rust coating to last season after season
 Flow-Through Design allows you to connect multiple sprinklers in series to increase watering coverage (13411, 5303187)
 Compatible with any ½ inch male threaded sprinkler heads

13299 (8 inch)



13411 (10 inch)





5303187 (12 inch)

