

HOSE FITTING (BSP)

Switch between faucets or watering accessories in a snap

QUICK CONNECTOR.....PG.59






22254



Multifunction Tap Manifold With Twin Hose Connectors

- Setting control ring for 3 different functions:
center spray, shower spray and twin hose connections
- Center spray for filling buckets, watering cans, cleaning tools, etc...
- Shower spray for convenient hand washing after gardening
- Swivel hose connector for quick hose connection reducing kinking
- No need to detach any device from the side connections before switching functions reducing wear and tear which leads to leaks




Setting Control Ring

3 different functions: Center Spray, Shower, and Twin Hose Connections to meet your watering needs



Swivel Hose Connector

180° & 360° swivel hose connector for quick hose connection reducing kinking




Multi Function Tap Adaptor

- Rotating dial for 3 different functions control: center spray, shower spray and hose connection
- Center spray for filling buckets, watering can, etc
- Shower spray for convenient hand washing after gardening
- Swivel hose adaptor for quick hose connection

22240




20239




Setting Control Ring

3 different functions: Center Spray, Shower, and Twin Hose Connections to meet your watering needs



Swivel Hose Connector

180° & 360° swivel hose connector for quick hose connection reducing kinking



INGENIOUS

3/4" Inline Garden Hose Water Filter



LESS CLOGGING

longer lasting life for watering accessories
helps control water pressure



STAINLESS STEEL FINE MESH DESIGN

filters out sediment/dirt



22138



20138





3/4 inch Inline Water Filter

- Easy to install and simple to clean removable filter
- Corrosion-resistant, stainless steel 50 mesh screen filter
- Catches sediment and dirt protecting your watering tools and accessories



STOP Water STOP

 Secure twist-and-lock mechanism prevents accidental disconnection

 Ergonomic grip with slip-free soft coating for comfort handling

 Metal clamp cap for better grip to the hose

 Elongated cap protects hose

13-16mm (1/2 - 5/8") - Quick Connector

| | | | |
|--|---|--|---|
| <p>24011</p>  | <p>24012</p>  <p>STOP</p> | <p>24017</p>   | <p>24018</p>  <p>STOP </p> |
| <p>29601</p>   | <p>29602</p>  <p>STOP </p> | <p>24303</p>    | <p>24304</p>  <p>STOP  </p> |

16-19mm (5/8 - 3/4") - Quick Connector

| | | | |
|--|---|--|---|
| <p>24039</p>  | <p>24040</p>  <p>STOP</p> | <p>24037</p>   | <p>24038</p>  <p>STOP </p> |
| <p>29605</p>   | <p>29606</p>  <p>STOP </p> | <p>28207</p>    | <p>28208</p>  <p>STOP  </p> |

13-16-19mm (1/2 - 5/8 - 3/4") - Quick Connector

| | | | |
|--|---|--|---|
| <p>24016</p>  | <p>24013</p>  <p>STOP</p> | <p>24014</p>   | <p>24015</p>  <p>STOP </p> |
| <p>29609</p>   | <p>29610</p>  <p>STOP </p> | <p>28211</p>    | <p>28212</p>  <p>STOP  </p> |



Elongated cap protects hose



Metal clamp cap for better grip to the hose



Ergonomic grip with slip-free soft coating for comfort handling



Secure twist-and-lock mechanism prevents accidental disconnection



Water STOP

9.5mm (3/8 ") - Quick Connector With Hose Protector

24028



24029



24026



24027



13mm (1/2") - Quick Connector With Hose Protector

24061



24062



24063



24064



24070



L-Shape
Quick Connector w/
Hose Protector



KINK RESISTANCE

Elongated flexible cap prevents kinking and twisting of the hose

16-19mm (5/8 - 3/4") - Quick Connector With Hose Protector

24161



24162




24163





24164




STOP Water STOP

 Secure twist-and-lock mechanism prevents accidental disconnection

 Ergonomic grip with slip-free soft coating for comfort handling

 Metal clamp cap for better grip to the hose

 Elongated cap protects hose

19mm (3/4") - Female Thread Tool-End Quick Connector

22919



22920



22929



22930



29645



29646



28947



28948



19mm (3/4") - Male Thread Tool-End Quick Connector

22917



22927



29641



28943



25mm (1") - Quick Connection Kit

24051



Hose End Quick Connector

22417



Female Threaded Faucet Connector

22329



Tool Adaptor



Elongated cap protects hose



Metal clamp cap for better grip to the hose



Ergonomic grip with slip-free soft coating for comfort handling



Secure twist-and-lock mechanism prevents accidental disconnection



Water STOP

Tool-End Quick Connector With Manual Valve

24131



24133



29621



28123



13-16mm (1/2 - 5/8 ") - Hose Connector With Manual Valve

24141



24142



16-19mm (5/8 - 3/4") - Hose Connector With Manual Valve

24143



24144



13-16-19mm (1/2 - 5/8 - 3/4") - Hose Connector With Manual Valve


24145





24146



STOP Water STOP

 Secure twist-and-lock mechanism prevents accidental disconnection

 Ergonomic grip with slip-free soft coating for comfort handling

 Metal clamp cap for better grip to the hose

 Elongated cap protects hose

13-16mm (1/2 - 5/8") - Hose Mender

22523



22523-03



22523-01



16-19mm (5/8 - 3/4") - Hose Mender

22533



22533-03



22533-01



13-16-19mm (1/2 - 5/8 - 3/4") - Hose Mender

22527



22527-03



22527-01



HOSE MENDER
Connect two hoses together to extend the length

Fully Articulated Hose Connector

swivels 360° and pivots 180° to prevent hose from kinking and twisting

22051



22000



Adjustable Swivel Connector

- 180° vertical and 360° horizontal swivel for easy operation
- Prevents kinking and twisting of the hoses
- Fits for 3/4" & 1" tap / faucet connection*
- Suited to hose cart or reel
- TPR grip for comfort (22051)
- Sturdy and rugged metal construction (22051)
- Plug-in connection easily connect and unplug the garden hose
- No loss of water flow

*Note: 22051 fits 3/4" tap connection only



23731



Angled Hose Mender

- Fits 13mm (1/2") hoses

23732



Angled Hose Mender

- Fits 16-19mm (5/8-3/4") hoses

23733



Angled Hose Mender

- Fits 13-16-19mm (1/2-5/8-3/4") hoses

HEAVY DUTY

Die cast metal body strength



22216-02E
(2 Zone)



22816-02E
(4 Zone)



22218-01E
(2 Zone)



22818-01E
(4 Zone)



Metal Tap Adaptor

- Heavy duty die-cast metal body
- Dials for smooth ON/OFF flow control
- Angled outlets for easy attachment of fittings
- Connect 2/4 hoses or timers

SHUT-OFF VALVE Available for 1/2" , 3/4" & 1" pipe faucet

22872 (BRASS)



22820



22821



4-Channel Water Distributor

- Fully adjustable four outlets
- Available for both 1" & 3/4" faucet
- With threads for attachment to timer or other threaded tools

22221



22201 (METAL)



22222



22201-01 (METAL)



2-Way Shut-Off Valve

- Fully adjustable two outlets
- Available for 1" & 3/4" faucet
- Multi use, attach to taps, hoses, accessories, etc...

22121



22101 (METAL)



Shut-Off Valve

- Instant on/off control with a flick of a switch
- Easy installation. No tools required

22231



22232



2-Way Shut-Off Valve

- High-impact plastic construction
- Dual shut-off for control of water flow
- Connect two-way connector to tap and 2 hoses

22226



2-Way Shut-Off Valve

- Simply screw the snap-in one-way hose coupling to the faucet
- Turn the flow control to off position first
- Available for both 1" & 3/4" faucet

22272 (BRASS)



2-Way Shut-Off Valve

- With 3/4" to 1" head and quick snap-in adaptor

22234



2-Way Shut-Off Valve

- With 3/4" to 1" head and quick snap-in adaptor

22235



2-Way Shut-Off Valve

- With 3/4" to 1" head and quick snap-in adaptor

22236



2-Way Shut-Off Valve

- With 3/4" to 1" head and quick snap-in adaptor



TAP CONNECTORS

92252



3/4"-1" Tap Adaptor Set

92251



1/2"-3/4" Tap Adaptor Set

23123



Faucet Adaptor (Fixed)

23122-01



Male Thread Faucet Connector

22443
(BRASS)



1" Brass Tap Adaptor

22442
(BRASS)



3/4" Brass Tap Adaptor

22424



1/2" Tap Adaptor

22320



NH to BSP Adaptor

22411
(METAL)



1" Metal Tap Adaptor

22410
(METAL)



3/4" Metal Tap Adaptor

22311
(METAL)



3/4" - 1"
Metal Insert Adaptor

22300
(METAL)



15/16 in.-27M x 15/16 in.- 27M
Male/Male (BSP) Sink Adaptor

22428



1" Tap Adaptor

22426



3/4" Tap Adaptor

22338



3/4"- 1" Insert Adaptor

22336



1/2"-3/4" Insert Adaptor

TAP CONNECTORS

22534



3/4" Hose Connector
w/ 3/4" Male Thread

22503



1/2" Hose Connector
w/ 3/4" Female Thread

22333



'Y' Snap-In Coupling

22331



Hose Coupling

22326



Tool Adaptor
• 3/4" BSP thread

22501



1/2" Hose Connector

22343
(BRASS)



Brass
'Y' Snap-In Coupling

22344
(BRASS)



Brass Hose Coupling

22342
(BRASS)



Brass Tool Adaptor
• 3/4" BSP thread

22524



1/2" Hose Connector
w/ 3/4" Male Thread

22313
(METAL)



Metal
'Y' Snap-In Coupling

22314
(METAL)



Metal Hose Coupling

22310
(METAL)



Metal Tool Adaptor
• 3/4" BSP thread

22421



Plastic End Cap (BSP)

22334



3-Way
Snap-in Connector

22332



2-Way
Snap-in Connector

22327



Tool Adaptor
• 3/4" BSP thread

22321



3-Stage
Snap-in Male Adaptor

HOSE FITTING (NH)

Switch between faucets or watering accessories in a snap, without twisting or threading, when watering plants and gardens



NON-SPLASH QUICK CONNECTOR.....PG.70



NON-SPLASH QUICK CONNECTOR W/ ADAPTOR SET

Unlike traditional quick connectors, the innovative NON-splash quick connector won't splash water on connection or disconnection of the watering tool

92232 (ALUMINUM)



20302
(ALUMINUM)



Metal Adaptor

- 3/4" Male thread

21686
(ALUMINUM)



**NON-SPLASH
Stop Quick Connector**

- 3/4" Female thread

21685
(ALUMINUM)



Quick Connector

- 3/4" Female thread



NON-SPLASH
Quick Connector with Water Stop



TRADITIONAL
Quick Connector with Water Stop



HOSE REPAIR

Various hose repair kit



1/2"
20521

5/8-3/4"
20531



Coupling Repair Male

- Nylon clamps

1/2"
20584

5/8-3/4"
20594



Coupling Repair Male

- Crush-proof metal construction
- Heavy-duty die-cast

1/2"
20510

5/8-3/4"
20511




Coupling Repair Male

- Crush-proof metal construction
- Heavy-duty die-cast

1/2"
20523

5/8-3/4"
20533



Hose Mender

- Nylon clamps

1/2"
20586

5/8-3/4"
20596



Hose Mender

- Crush-proof metal construction
- Heavy-duty die-cast

1/2"
20516

5/8-3/4"
20517



Hose Mender

- Crush-proof metal construction
- Heavy-duty die-cast

1/2"
20522

5/8-3/4"
20532



Coupling Repair Female

- Nylon clamps

1/2"
20585

5/8-3/4"
20595



Coupling Repair Female

- Crush-proof metal construction
- Heavy-duty die-cast

1/2"
20513

5/8-3/4"
20514



Coupling Repair Female

- Crush-proof metal construction
- Heavy-duty die-cast



TAP CONNECTORS

20327



Tool Adaptor

20427



Faucet Adaptor

20326



Tool Adaptor

20320



BSP to NH Adaptor

20111
(METAL)



Metal Gooseneck Connector

20410
(METAL)



Metal Faucet Adaptor

20310
(METAL)



Metal Tool Adaptor

20300
(METAL)



15/16 in.-27M x 15/16 in.- 27M Male/Male (NPT) Sink Adaptor

20145
(BRASS)



Brass Gooseneck Connector

20321



3-Stage Snap-in Male Adaptor

20191-01
(METAL)



Hose Protector

- Protects hose from damage at the faucet end

20421



Plastic End Cap (NH)

20524




1/2" Hose Connector

20503



1/2" Hose Connector





Elongated cap protects hose



Metal clamp cap for better grip to the hose



Ergonomic grip with slip-free soft coating for comfort handling



Secure twist-and-lock mechanism prevents accidental disconnection



Water STOP

3/4" Female Thread

Tool-End Quick Connector

20919



20920



20929



20930



27945



27946



20947



20948



3/4" Male thread

Faucet-End Quick Connector

20917



20927



27641



20943



3/4" Female thread

Faucet-End Quick Connector

20000



20002



20051



Adjustable Metal Swivel Connector

- Pivots & swivels (180° & 360°) on two axes
- TPR grip for comfort
- Sturdy and rugged metal construction
- No loss of water flow; good for all seasons

GARDEN HOSE MANIFOLD

Expand Your Reach!



20216
(2 Zone)



20816
(4 Zone)



20218
(2 Zone)



20818
(4 Zone)



Metal Tap Adaptor

- Heavy duty die-cast metal body
- Dials for smooth ON/OFF flow control
- Angled outlets for easy attachment of fittings
- Connect 2/4 hoses or timers





SHUT-OFF VALVE

3/4" NH thread



4-Channel Water Distributor

- Split your water supply without effort
- Fully adjustable four outlets
- With threads for attachment to timer or other threaded tools

20201 (METAL)



20201-01 (METAL)



20221



20272 (BRASS)



2-Way Shut-Off Valve

- Fully adjustable two outlets on/off & flow control
- Multi use, attach to taps, hoses, accessories, etc...

20231



20211



2-Way Connector

- Single or dual flow without effort
- 3/4" NH threaded

20121




20101 (METAL)



Shut-Off Valve

- Instant on/off control with a flick of a switch
- 3/4" NH threaded
- Easy installation. No tools required



- 12-pc Hose Washers
- 12 Stainless-Steel Filter Washers

NOTE

