


GARDEN SPRINKLER

TURBO DRIVE GEAR SERVES FOR QUIET OPERATION


Special designed water patterns create optimal water distribution to ensure well absorption of soil.
Ideal for watering circular lawn.

6-PATTERN GEAR DRIVE SPRINKLER.....P22





pull out the tab for close range spray



Pattern Change

6 Watering Mode Change : Large , Flat , Fan , Jet , Full and Mini

Coverage Control

Sliding tabs allow for coverage adjustment (5-360°)



GEAR+

Effortless Pattern Switch



6-Pattern Gear Drive Sprinkler

- Quiet operation
- Full or part-circle coverage
- 6 patterns for all watering needs
- **Watering dia. : 82ft (25m) / r : 41ft (12.5m) ; coverage: 5278 sq.ft (490 sq.m)**
- Water patterns : large , flat , fan , jet , full and mini
- Sturdy plastic base (14665)
- Metal two-way spike allows unit-to-unit connection (11339,11239)
- Plastic spike allows unit-to-unit connections (12839)

14665



11339



11239





12839




GEAR+

Effortless Pattern Switch



Pattern Change

4 Watering Mode Change : Large , Flat , Fan and Mini



Coverage Control

Sliding tabs allow for coverage adjustment (5-360°)


4-Pattern Gear Drive Sprinkler

- Quiet operation
- Full or part-circle coverage
- 4 patterns for all watering needs
- **Watering dia. : 78.8ft (24m) / r : 39.4ft (12m) ; coverage: 4869 sq.ft (452 sq.m)**
- Water patterns : large , flat , full and mini
- Metal two-way spike allows unit-to-unit connection (11236)
- Plastic spike allows unit-to-unit connections (12236, 12836)
- Tripod adjustable heights to increase range (11536)







max. 33ft (10m)
min. 13ft (4m)




EASY TO SET

Adjustable ring to fit irregular coverage




Coverage Control

Sliding tabs allow for coverage adjustment (20-360°)



12 Point Adjustable Spray Range

Flow changes automatically for different distance with even coverage
Min. radius 13ft (4m); max. radius 33ft (10m)



14683



14684



Gear Drive Contour Sprinkler

- Flow changes automatically for different distance and even coverage
- Easy-Set adjustable ring to fit irregular coverage
- Sliding tab for coverage control
- Allows connection in series
- Min. radius 13ft (4m); max. radius 33ft (10m)
- **Coverage up to 3380 sq.ft. (314 sq.m.)**



Impulse Contour Sprinkler

- Flow changes automatically for different distance and even coverage
- Easy-Set adjustable ring to fit irregular coverage
- Full or part circle spray pattern
- Allows connection in series
- **Coverage up to 4869 sq.ft. (452 sq.m.)**




MINI OSCILLATOR

Square adjustments
to fit desired square coverage




Range Control (Width)

Sliding tabs allow for coverage.
(max. up to 43ft (13m))



Range Control (Length)

Push down tab allows for length coverage.
(max. up to 52.5ft (16m))



Water Flow Control

Allows you to control water usage



Radius Adjustment



11328

14661

14701 (20 nozzle)



16 Nozzles Mini Oscillator

- 16 Spray nozzles
- Adjustable coverage width and length
- **Coverage up to 4069 sq. ft. (378 sq. m.)**
- Metal step spike allows unit-to-unit connections (11328)
- Sturdy plastic base (14661)




20 Nozzles Mini Oscillator

- 20 spray nozzles
- Adjustable coverage width and length
- **Coverage up to 4521 sq. ft. (420 sq. m.)**
- Sturdy plastic base
- Up to 2 hours of timed watering


TURBO GEAR

Circular Coverage




Flow Control

Allows you to control water usage



Coverage Control

Sliding tabs allow for coverage adjustment (5-360°)



Pattern Change

Full jet stream of water to a gentle fountain watering pattern



15071












2-Pattern Gear Drive Sprinkler

- **Coverage: 3057 sq.ft. (284 sq.m.)**
- Convenient adjustable watering patterns (full or partial-circle range coverage)
- Full jet stream of water to a gentle fountain watering pattern
- Flow control switch allows you to control water usage
- Sleek low design combined with the H pattern base provides stable and durable platform to water your lawns
- Can be moved to any location
- Easy hose hookup with built in water filter plug
- Whisper Quiet operation



8-PATTERN 9-PATTERN

Square	Soft Square	Circle	Ring	Rectangle	Wide Strip	Narrow Strip	Semi-Circle	Rotor
								
951 sq.ft. (88 m ²)	851 sq.ft. (84 m ²)	951 sq.ft. (88 m ²)	1022 sq.ft. (95 m ²)	646 sq.ft. (60 m ²)	377 sq.ft. (35 m ²)	484 sq.ft. (45 m ²)	876 sq.ft. (81 m ²)	596 sq.ft. (55 m ²)



8-Pattern Turret Sprinkler

- Stable high impact plastic base
- Dial selects any of 8 water patterns




Plastic 5-Pattern Turret Sprinkler

- plastic spike allows unit-to-unit connections
- dial selects any of 5 water patterns

PATENTED POP-UP ROTOR

When watering, the central rotor pops up to provide fine, even watering
 When off, the rotor retracts to prevent injury from tripping over



Metal 9-Pattern Turret Sprinkler

- Ideal for watering irregular-shaped landscape
- Patented pop-up rotor for uniform watering
 - when function on, the rotor pops up to provide uniform spraying
 - when function off, the rotor retracts to protect housing




9-Pattern Turret Sprinkler

- Stable high impact plastic base
- Ideal for watering irregular-shaped landscape
- Patented pop-up rotor for uniform watering
 - when function on, the rotor pops up to provide uniform spraying
 - when function off, the rotor retracts to protect housing
- Anchor pins provide stability in windy or on slopes (15094)




QUIET OPERATION




Arc Adjustment

Watering Distance Adjustable




Watering Coverage Lock

Tab switch for semi-circle or 360° spraying



Coverage Control

Sliding tabs allow for coverage adjustment (5-360°)



Pattern Change

4 Watering Mode Change : Multi, Mist, Jet and Fountain



Fountain



Jet



Mist



Multi

3725sq.ft | 346sq.m

4-Pattern Gear Drive Sprinkler

- Quiet operation
- Rotatable head for spray distance control
- Full or part-circle coverage
- 4 Patterns for all watering needs
- **Watering dia.: 69ft (21m) / r : 34.5ft (10.5m) ; coverage up to 3725 sq.ft (346 sq.m)**
- Sturdy plastic base w/ mechanical water timer (14625)
- Streamlined metal base allows connections in series (13607-01)
- Tab switch for part-circle or 360° spraying (14625, 13607-01)
- Durable base allows connections in series (14608)
- Metal two-way spike allows unit-to-unit connection (11224)

14625



14608



13607-01




11224



QUIET OPERATION





3380sq.ft | 314sq.m



Coverage Control

Sliding tabs allow for coverage adjustment (5-360°)



Pattern Change

Jet distance control

2-Stage Gear Drive Sprinkler

- Quiet operation
- Water in two stages (jet and cone) for even coverage
- Sliding deflector for fine and close range spraying
- Full or part-circle coverage
- **Watering dia.: 66ft (20m) / r : 33ft (10m) ; coverage up to 3380 sq.ft (314 sq.m)**
- Metal two-way spike allows unit-to-unit connection (11219)
- Plastic spike allows unit-to-unit connections (12219)
- Sturdy plastic base (14644)

11219



METAL

12219




14644




MULTI SPRAY+

All-in-One Sprinkler with All features you require for your garden watering needs




Coverage Control

Set the collars for desired part circle coverage (5-360°)




Extensible tripod ideal for spraying from bush
Rotate collar to extend height up to 39 inch



Distance Control

Six specially-designed nozzles for versatile watering



Quadro + Mist


Sliding tabs allow for coverage adjustment (5-360°)



Mist




Multi




Flat



Fan



Mini



Large



6-Pattern Sprinkler Plus Misting System

- Whisper quiet operation
- Robust aluminum metal tripod construction
- Full or Part-Circle coverage (5°-360°)
- 6 Spray patterns : Flat, Fan, Mist, Mini, Large and Multi
- Misting system is ideal for cooling down
- Tripod extends up to 39 inch (99 cm)
- **Watering dia.: 82ft (25m) / r : 41ft (12.5m) ; coverage up to 5278 sq.ft (490 sq.m)***
- **with the large spray pattern at 40 psi*



5-Pattern Sprinkler Plus Misting System

- Whisper quiet operation
- Robust aluminum metal tripod construction
- Full or Part-Circle coverage (5°-360°)
- 5 Spray patterns : Flat, Fan, Mist, Large and Multi
- Misting system is ideal for cooling down
- Tripod extends up to 39 inch (99 cm)
- **Watering dia.: 69ft (21m) / r : 34.5ft (10.5m) ; coverage up to 3737 sq.ft (346 sq.m)***
- **with the large spray pattern at 40 psi*



EXTENDABLE SPRINKLER

11542



Gear Drive Sprinkler w/ Extendable Tripod

- Quiet operation
- Sliding deflector for fine and close range spraying
- Full or part-circle coverage
- Tripod extends up to 39 inch (99 cm) (11519, 11523)
- Tripod extends up to 59 inch (149 cm) (11542)
- Leg spikes dig into soil for more stability
- Ideal for watering behind bushes and taller plants
- 4 Patterns for all watering needs (11523)
- **Watering dia.: 69ft (21m) / r : 34.5ft (10.5m) ; coverage up to 3737 sq.ft (346 sq.m) (11523, 11542)**
- Water in two stages (jet and cone) for even coverage (11519)
- **Watering dia.: 66ft (20m) / r : 33ft (10m) ; coverage up to 3380 sq.ft (314 sq.m) (11519)**



11523



11519



EXTENDABLE SPRINKLER

5278sq.ft | 490sq.m



11572 (ZINC)

UP TO
72"
(182cm)



Impulse Sprinkler w/ Extendable Tripod

- Watering dia.: 82ft (25m) / r : 41ft (12.5m) ; coverage up to 5278 sq.ft (490 sq.m)
- Full or part-circle coverage
- Tripod extends up to 72 inch (182cm) (11572)
- Tripod extends up to 39 inch (99 cm) (11511, 11515)
- Leg spikes dig into soil for more stability
- Ideal for watering behind bushes and taller plants



11511 (ZINC)

UP TO
39"
(99cm)



11515 (BRASS)

UP TO
39"
(99cm)



23620



Flow Control Extension Adapter

- Easy switching of watering tools without traveling back to the faucet to turn off the water
- Can be used with any 1/2 inch connection system including PVC pipe connections



ACCESSORIES COMPONENTS

For Telescoping Sprinkler



ROTATING SPRINKLER

Whirling action for uniform coverage



2-Arm Rotating Sprinkler

- Whirling action for uniform coverage
- **Watering dia.: 35ft (10.7m) ; coverage up to 970 sq.ft (90 sq.m)**
- With 6" plastic base (14126)
- Durable one-way plastic spike (12126)



3-Arm Rotating Sprinkler

- Adjustable arm angles for coverage control
- Whirling action for uniform coverage
- **Watering dia.: 48ft (15m) / r : 24ft (7.5m) ; coverage up to 1808 sq.ft (176 sq.m)**
- With 8" plastic base (14237)



3-Arm Rotating Sprinkler

- Adjustable arm angles for coverage control
- Whirling action for uniform coverage
- **Watering dia.: 34ft (10.4m) / r : 17ft (5.2m) ; coverage up to 910 sq.ft (85 sq.m)**
- With 6" plastic base



Metal 3-Arm Rotating Sprinkler

- 3 Metal arms provide gentle watering for lawn & garden
- **Watering dia.: 42 ft (12.8m) / r : 21ft (6.4m) ; coverage up to 1390 sq.ft (129 sq.m)**
- 8" Wheeled base



Rotating Sprinkler w/ Telescopic Metal Step Spike

- Brass nozzles adjust from fine mist to jet
- **Watering dia.: 42 ft (12.8m) / r : 21ft (6.4m) ; coverage up to 1390 sq.ft (129 sq.m)**
- Step spike extends up to 21"-31"
- Specially designed for yard & garden

STATIONARY SPRINKLER



12203



Daisy Sprinkler

- Circular water pattern
- Plastic spike allows unit-to-unit connections

15084



Mist Sprinkler

- Fine mist pattern
- ABS stable platform

15082




Ring Sprinkler

- Impact plastic construction
- ABS stable platform


NOTE

PULSATING & IMPULSE SPRINKLER




Adjustable Collars

Set the collars for desired part circle coverage (5-360°)




Adjustable From Full To Part Circle

Flip lever up for full circle (0-360°)





Adjustable Deflector

Adjust defluser screw for spray distance control (4.5-11m)



Adjustable Diffuser Screw

Turn screw to adjust spray from powerful jet to mist



Impulse Sprinkler

- Full or part circle spray pattern
- Metal spike allows unit-to-unit connections (11216, 11227, 11211)
- Heavy duty stepped metal spike (11311)
- Allows unit-to-unit connections (11311)



12216



11216

METAL



11227

METAL




11211

METAL




11311

METAL




Adjustable Collars

Set the collars for desired part circle coverage (5-360°)




Adjustable From Full To Part Circle

Flip lever up for full circle (0-360°)




Adjustable Deflector

Adjust diffuser screw for spray distance control (4.5-11m)



Adjustable Diffuser Screw

Turn screw to adjust spray from powerful jet to mist



5278sq.ft | 490sq.m

Zinc Impulse Sprinkler w/ Wheeled Base

- Watering dia.: 82ft (25m) / r : 41ft (12.5m) ; coverage up to 5278 sq.ft (490 sq.m)
- Full or part circle spray pattern



13311-01
(8 inch)



13411-11
(10 inch)



13511-01
(12 inch)

